


Tumor Necrosis Factor Receptor Superfamily Member 10D (TNFRSF10D) Antibody

Catalogue No.:abx027574



The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor contains an extracellular TRAIL-binding domain, a transmembrane domain, and a truncated cytoplamic death domain. This receptor does not induce apoptosis, and has been shown to play an inhibitory role in TRAIL-induced cell apoptosis.

Target: Tumor Necrosis Factor Receptor Superfamily Member 10D (TNFRSF10D)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 254-283 amino acids from the C-terminal region of

human TNFRSF10D.

Isotype: IgG

Form: Liquid

Purification: Purified through a protein A column, followed by peptide affinity purification.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q9UBN6 (UniProt, ExPASy)

Datasheet

Version: 2.0.0 Revision date: 03 Sep 2025



Gene Symbol: TNFRSF10D

String: <u>9606.ENSP00000310263</u>

Molecular Weight: Calculated MW: 41.8 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY, NOT FOR USE IN DIAGNOSTIC.

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.