


General Transcription Factor IIE Subunit 2 (GTF2E2) Antibody

Catalogue No.: abx027804



GTF2E2 recruits TFIIH to the initiation complex and stimulates the RNA polymerase II C-terminal domain kinase and DNA-dependent ATPase activities of TFIIH. Both TFIIH and TFIIIE are required for promoter clearance by RNA polymerase.

Target: General Transcription Factor IIE Subunit 2 (GTF2E2)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 240-269 amino acids from the C-terminal region of human GTF2E2.

Isotype: IgG

Form: Liquid

Datasheet

Version: 4.0.0
Revision date: 12 Jun 2025



Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P29084 (UniProt , ExPASy)
Gene Symbol:	GTF2E2
KEGG:	hsa:2961
String:	9606.ENSP00000348168
Molecular Weight:	Calculated MW: 33 kDa
Buffer:	PBS containing 0.09% sodium azide.
Specificity:	Predicted to react with Cow GTF2E2.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only