



Tachykinin-3 (TAC3) Antibody

Catalogue No.: abx028000



This gene encodes a member of the tachykinin family of secreted neuropeptides. The encoded protein is primarily expressed in the central and peripheral nervous system and functions as a neurotransmitter. This protein is the ligand for the neurokinin-3 receptor. This protein is also expressed in the outer syncytiotrophoblast of the placenta and may be associated with pregnancy-induced hypertension and pre-eclampsia. Mutations in this gene are associated with normosmic hypogonadotropic hypogonadism. Alternate splicing results in multiple transcript variants.

Target: Tachykinin-3 (TAC3)**Clonality:** Polyclonal**Reactivity:** Human**Tested Applications:** ELISA, WB, IHC**Host:** Rabbit**Recommended dilutions:** WB: 1/1000, IHC-P: 1/10 - 1/50. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.**Conjugation:** Unconjugated**Immunogen:** KLH-conjugated synthetic peptide between 54-83 amino acids from the Central region of human TAC3.**Isotype:** IgG

Datasheet

Version: 2.0.0
Revision date: 18 Mar 2025



Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9UHF0 (UniProt , ExPASy)
Gene Symbol:	TAC3
String:	9606.ENSP00000483110
Molecular Weight:	Calculated MW: 13.4 kDa
Buffer:	PBS containing 0.09% sodium azide.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only