



## RAD50 Double Strand Break Repair Protein (RAD50) Antibody


Catalogue No.:abx002219




Western blot analysis of extracts of various cell lines using RAD50 Antibody (1/50 dilution)0.



Immunohistochemistry of paraffin-embedded Human breast cancer using RAD50 Antibody (1/100 dilution, 40x lens).



Immunohistochemistry of paraffin-embedded Human stomach using RAD50 Antibody (1/100 dilution, 40x lens).



Immunohistochemistry of paraffin-embedded Human gastric cancer using RAD50 Antibody (1/100 dilution, 40x lens).

RAD50 Antibody is a Rabbit Polyclonal antibody against RAD50. The protein encoded by this gene is highly similar to Saccharomyces cerevisiae Rad50, a protein involved in DNA double-strand break repair. This protein forms a complex with MRE11 and NBS1. The protein complex binds to DNA and displays numerous enzymatic activities that are required for nonhomologous joining of DNA ends. This protein, cooperating with its partners, is important for DNA double-strand break repair, cell cycle checkpoint activation, telomere maintenance, and meiotic recombination. Knockout studies of the mouse homolog suggest this gene is essential for cell growth and viability. Mutations in this gene are the cause of Nijmegen breakage syndrome-like disorder.

## **Datasheet**

Version: 4.0.0 Revision date: 29 Aug 2025



Target: RAD50 Double Strand Break Repair Protein (RAD50)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/100. Not tested in IHC-F. Optimal dilutions/concentrations

should be determined by the end user.

Conjugation: Unconjugated

**Immunogen:** A synthetic peptide corresponding to human RAD50

Isotype: IgG

Form: Liquid

**Purification:** Purified by affinity chromatography.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q92878 (UniProt, ExPASy)

Gene Symbol: RAD50

GeneID: <u>10111</u>

NCBI Accession: NP\_005723.2

**KEGG**: hsa:10111

String: 9606.ENSP00000368100

Molecular Weight: Calculated MW: 138 kDa/153 kDa/154 kDa

Observed MW: 180 kDa

**Buffer:** PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: 1 mg/ml

## **Datasheet**

Version: 4.0.0 Revision date: 29 Aug 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.



3 of 3