


## TNF Receptor-Associated Factor 7 (TRAF7) Antibody

Catalogue No.:abx002225



Western blot analysis of extracts of various cell lines using TRAF7 Antibody at 1000 dilution.

TRAF7 Antibody is a Rabbit Polyclonal antibody against TRAF7. Tumor necrosis factor (TNF; see MIM 191160) receptor-associated factors, such as TRAF7, are signal transducers for members of the TNF receptor superfamily (see MIM 191190). TRAFs are composed of an N-terminal cysteine/histidine-rich region containing zinc RING and/or zinc finger motifs; a coiled-coil (leucine zipper) motif; and a homologous region that defines the TRAF family, the TRAF domain, which is involved in self-association and receptor binding.

Target: TNF Receptor-Associated Factor 7 (TRAF7)

Clonality: Polyclonal

Reactivity: Rat

Tested Applications: WB

Host: Rabbit

**Recommended dilutions:** WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fusion protein corresponding to human TRAF7

Isotype: IgG

Form: Liquid

**Purification:** Purified by affinity chromatography.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q6Q0C0 (<u>UniProt</u>, <u>ExPASy</u>)

## **Datasheet**

Version: 4.0.0 Revision date: 02 Oct 2025



Gene Symbol: TRAF7

GenelD: <u>84231</u>

NCBI Accession: NP\_115647.2

**KEGG:** hsa:84231

String: 9606.ENSP00000318944

Molecular Weight: Calculated MW: 66 kDa/74 kDa

Observed MW: 75 kDa

**Buffer:** PBS, pH 7.3, containing 0.01% thiomersal, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC.

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.