


Neurogenin-1 (NEUROG1) Antibody

Catalogue No.:abx002235



Western blot analysis of various lysates using NEUROG1 Antibody at 1/400 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

NEUROG1 Antibody is a Rabbit Polyclonal antibody against NEUROG1. Neurogenin-1 is a protein that in humans is encoded by the NEUROG1 gene. Acts as a transcriptional regulator. Involved in the initiation of neuronal differentiation. Activates transcription by binding to the E box (5'-CANNTG-3'). Associates with chromatin to enhancer regulatory elements in genes encoding key transcriptional regulators of neurogenesis. NEUROG1 has been shown to interact with CREB-binding protein and decapentaplegic homolog 1.

Target:	Neurogenin-1 (NEUROG1)
Clonality:	Polyclonal
Reactivity:	Human, Mouse
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions	: ELISA: 1 µg/ml, WB: 1/500 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-237 of human NEUROG1.
Isotype:	lgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q92886 (<u>UniProt</u> , <u>ExPASy</u>)



Gene Symbol:	NEUROG1
GenelD:	<u>4762</u>
KEGG:	hsa:4762
String:	9606.ENSP00000317580
Molecular Weight:	Calculated MW: 26 kDa Observed MW: 25 kDa
Buffer:	PBS, pH 7.3, containing 0.01% thimerosal, 50% glycerol.
Concentration:	> 0.2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.