


DnaJ Homolog Subfamily C Member 24 (DNAJC24) Antibody

Catalogue No.:abx028662



Diphthamide is a unique posttranslationally modified histidine found only in translation elongation factor-2 (EEF2; MIM 130610). This modification is conserved from archaebacteria to humans and serves as the target for ADP-ribosylation and inactivation of EEF2 by diphtheria toxin (DT) and Pseudomonas exotoxin A. DPH4 is 1 of several enzymes involved in synthesis of diphthamide in EEF2 (Liu et al., 2004 [PubMed 15485916]).[supplied by OMIM].

Target:	DnaJ Homolog Subfamily C Member 24 (DNAJC24)	
Clonality:	Polyclonal	
Reactivity:	Human	
Tested Applications:	ELISA, WB	
Host:	Rabbit	
Recommended dilutions	: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.	
Conjugation:	Unconjugated	
Immunogen:	KLH-conjugated synthetic peptide between 53-81 amino acids from the Central region of humar DNAJC24.	า
Isotype:	lgG	
Form:	Liquid	
Purification:	Purified through a protein A column, followed by peptide affinity purification.	
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.	
UniProt Primary AC:	Q6P3W2 (<u>UniProt</u> , <u>ExPASy</u>)	
KEGG:	hsa:120526	
v1.0.0	Abbexa LTD, Cambridge, UK · Phone: +44 (0) 1223 755950 · Fax: +44 (0) 1223 755951	1 of 2

Abbexa LLC, Houston, TX USA · Phone: +1 832 327 7413 Abbexa BV, Leiden, NL Website: www.abbexa.com · Email: info@abbexa.com



String:	<u>9606.ENSP00000417548</u>
Molecular Weight:	Calculated MW: 17.1 kDa
Buffer:	PBS containing 0.09% sodium azide.
Buffer: Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.