


TNFAIP3-Interacting Protein 2 (TNIP2) Antibody

Catalogue No.: abx028972



TNIP2 binds to the C-terminal zinc finger domain of A20 (TNFAIP3; MIM 191163) and is involved in activation of the ERK (see MAPK3; MIM 601795) MAP kinase pathway in various cell types (Van Huffel et al., 2001 [PubMed 11390377]; Papoutsopoulou et al., 2006 [PubMed 16633345]).

Target:	TNFAIP3-Interacting Protein 2 (TNIP2)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 165-194 amino acids from the Central region of human TNIP2.
Isotype:	IgG
Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8NFZ5 (UniProt , ExPASy)
Gene Symbol:	TNIP2

Datasheet

Version: 3.0.0

Revision date: 18 Sep 2025



KEGG: hsa:79155

String: [9606.ENSP00000321203](#)

Molecular Weight: Calculated MW: 48.7 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only