


Poly[ADP-Ribose] Glycohydrolase (PARG) Antibody

Catalogue No.: abx029010



Poly (ADP-ribose) glycohydrolase (PARG) is the major enzyme responsible for the catabolism of poly (ADP-ribose), a reversible covalent-modifier of chromosomal proteins. The protein is found in many tissues and may be subject to proteolysis generating smaller, active products.

Target: Poly[ADP-Ribose] Glycohydrolase (PARG)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 821-849 amino acids from the C-terminal region of human PARG.

Isotype: IgG

Form: Liquid

Purification: Purified through a protein A column, followed by peptide affinity purification.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q86W56 ([UniProt](#), [ExPASy](#))

Gene Symbol: PARG

Datasheet

Version: 4.0.0
Revision date: 13 Apr 2025



GeneID: [670 8505](#)

OMIM: [603501](#)

NCBI Accession: NP_003622.2

HGNC: 8605

KEGG: hsa:8505

Ensembl: ENSG00000227345

String: [9606.ENSP00000384408](#)

Molecular Weight: Calculated MW: 111 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only