


Proprotein Convertase Subtilisin/Kexin Type 4 (PCSK4) Antibody

Catalogue No.:abx029128



Proprotein convertases, including PCSK4, are calcium-dependent serine proteases related to bacterial subtilisins and to yeast kexin. These enzymes process precursor proteins to their active forms by selective cleavage of the polypeptide at sites following paired basic amino acids. In mammals, this family comprises PC1 (MIM 162150), PC2 (MIM 162151), PC4, PC5 (MIM 600488), furin (FUR; MIM 136950), and PACE4 (MIM 167405). Substrates for these enzymes range from prohormones to precursors for growth factors to cell surface receptors and viral surface glycoproteins (Cao et al., 2001 [PubMed 11776387]).[supplied by OMIM].

4

Target:	Proprotein Convertase Subtilisin/Kexin Type 4 (PCSK4)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions	: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 168-196 amino acids from the N-terminal region of human PCSK4.
lsotype:	lgG
Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q6UW60 (<u>UniProt</u> , <u>ExPASy</u>)



PCSK4 Gene Symbol: **KEGG**: hsa:54760 9606.ENSP00000300954 String: Molecular Weight: Calculated MW: 82.8 kDa Buffer: PBS containing 0.09% sodium azide. THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, Note: THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

0