


RRN3 Homolog, RNA Polymerase I Transcription Factor (RRN3) Antibody

Catalogue No.: abx029433



Required for efficient transcription initiation by RNA polymerase I. Required for the formation of the competent preinitiation complex (PIC). Dissociates from pol I as a consequence of transcription. In vitro, cannot activate transcription in a subsequent transcription reaction (By similarity).

Target:	RRN3 Homolog, RNA Polymerase I Transcription Factor (RRN3)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	KLH-conjugated synthetic peptide between 277-305 amino acids from the Central region of human RRN3.
Isotype:	IgG
Form:	Liquid
Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q9N1V6 (UniProt , ExPASy)

Datasheet

Version: 3.0.0

Revision date: 04 Oct 2025



Gene Symbol: RRN3

String: [9606.ENSP00000198767](#)

Molecular Weight: Calculated MW: 74.1 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only