
Datasheet

Version: 3.0.0 Revision date: 14 Sep 2025



Testican-3 (SPOCK3) Antibody

Catalogue No.:abx029809



Proteoglycans, which consist of a core protein and covalently linked glycosaminoglycans, are components of the extracellular matrix. SPOCK3 encodes a member of a novel Ca (2+) binding proteoglycan family.

Target: Testican-3 (SPOCK3)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 36-63 amino acids from the N-terminal region of human

SPOCK3.

Isotype: IgG

Form: Liquid

Purification: Purified through a protein A column, followed by peptide affinity purification.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q9BQ16 (<u>UniProt</u>, <u>ExPASy</u>)

Gene Symbol: SPOCK3

Datasheet

Version: 3.0.0 Revision date: 14 Sep 2025



String: <u>9606.ENSP00000349677</u>

Molecular Weight: Calculated MW: 49.4 kDa

Buffer: PBS containing 0.09% sodium azide.

Specificity: Predicted to react with Mouse SPOCK3.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.