Datasheet

Version: 3.0.0 Revision date: 13 Jun 2025



Rabbit Pigment Epithelium-Derived Factor / PEDF (SERPINF1) ELISA Kit

Catalogue No.:abx362786

This product is currently in development. The lead time for this product may be several months. Please contact us at info@abbexa.com for an updated lead time before purchasing this product.

Rabbit Pigment Epithelium-Derived Factor (PEDF) ELISA Kit is an ELISA Kit for the in vitro quantitative measurement of Rabbit Pigment Epithelium-Derived Factor (PEDF) concentrations in Serum, plasma, tissue homogenates, cell lysates, cell culture supernatants and other biological fluids.

Target: Pigment Epithelium-Derived Factor / PEDF (SERPINF1)

Reactivity: Rabbit

Tested Applications: ELISA

Recommended dilutions: Optimal dilutions/concentrations should be determined by the end user.

Storage: Shipped at 4 °C. Upon receipt, store the kit according to the storage instruction in the kit's manual.

Validity: The validity for this kit is at least 6 months. Up to 12 months validity can be provided on request.

Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5% within

the expiration date under appropriate storage conditions. To minimize performance fluctuations, operation procedures and lab conditions should be strictly controlled. It is also strongly suggested

that the whole assay is performed by the same user throughout.

UniProt Primary AC: G1SCK5 (UniProt, ExPASy)

100356583

ocu:100356583

Gene Symbol: SERPINF1

Test Range: 0.312 ng/ml - 20 ng/ml

Sensitivity: < 0.12 ng/ml

Standard Form: Lyophilized

Detection Method: Colorimetric

GeneID:

KEGG:

1 of 2

Website: www.abbexa.com · Email: info@abbexa.com

Datasheet

Version: 3.0.0 Revision date: 13 Jun 2025



Assay Type: Sandwich

Assay Data: Quantitative

Sample Type: Serum, plasma, tissue homogenates, cell lysates, cell culture supernatants and other biological

fluids.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC OR

different sequences or tertiary structures to the native protein.

THERAPEUTIC PROCEDURES.

The range and sensitivity is subject to change. Please contact us for the latest product information. For accurate results, sample concentrations must be diluted to mid-range of the kit. If you require a specific range, please contact us in advance or write your request in your order comments. Please note that our kits are optimised for detection of native samples, rather than recombinant proteins. We are unable to guarantee detection of recombinant proteins, as they may have

