


PI3KC3 (pS164) Antibody

Catalogue No.:abx031969



PI3KC3 is a catalytic subunit of the PI3K complex involved in the transport of lysosomal enzyme precursors to lysosomes. This enzyme acts catalytically to convert 1-phosphatidyl-1D-myo-inositol to 1-phosphatidyl-1D-myo-inositol 3-phosphate. Macroautophagy is the major inducible pathway for the general turnover of cytoplasmic constituents in eukaryotic cells, it is also responsible for the degradation of active cytoplasmic enzymes and organelles during nutrient starvation. Macroautophagy involves the formation of double-membrane bound autophagosomes which enclose the cytoplasmic constituent targeted for degradation in a membrane bound structure, which then fuse with the lysosome (or vacuole) releasing a single-membrane bound autophagic bodies which are then degraded within the lysosome (or vacuole). The regulation of the Beclin 1-PI3KC3 complex lipid kinase activity is a critical element in the autophagy signaling pathway.

Target: PI3KC3 (pS164)

Clonality: Polyclonal

Target Modification: Ser164

Modification: Phosphorylation

Reactivity: Human

Tested Applications: ELISA, DB

Host: Rabbit

Recommended dilutions: DB: 1/500. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding

S164 of human PI3KC3.

Isotype: IgG

Form: Liquid

Datasheet

Version: 1.0.0 Revision date: 19 Oct 2025



Purification: Purified by protein A affinity chromatography. Then, the antibody fraction was peptide affinity

purified in a 2-step procedure with peptides. The antibody was eluted with high and low pH buffers

and neutralized immediately, followed by dialysis against PBS.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q8NEB9 (<u>UniProt</u>, <u>ExPASy</u>)

KEGG: hsa:5289

String: <u>9606.ENSP00000262039</u>

Molecular Weight: Calculated MW: 102 kDa

Buffer: PBS containing 0.09% sodium azide.

Specificity: Predicted to react with Mouse, Rat and Pig PIK3C3.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.