

Bcl2-Associated Agonist of Cell Death Phospho-Thr94 (BAD pT94) Antibody

Catalogue No.:abx032137



Promotes cell death. Successfully competes for the binding to Bcl-X (L), Bcl-2 and Bcl-W, thereby affecting the level of heterodimerization of these proteins with BAX. Can reverse the death repressor activity of Bcl-X (L), but not that of Bcl-2. Appears to act as a link between growth factor receptor signaling and the apoptotic pathways.

Target: Bcl2-Associated Agonist of Cell Death Phospho-Thr94 (BAD pT94)

Clonality: Polyclonal

Target Modification: Thr94

Modification: Phosphorylation

Reactivity: Mouse

Tested Applications: ELISA, DB

Host: Rabbit

Recommended dilutions; DB: 1/500. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding T94

of mouse BAD.

Isotype: IgG

Form: Liquid

Purification: Purified through a protein A column, followed by two-step phosphospecific peptide affinity

purification.

Datasheet

Version: 2.0.0 Revision date: 20 Oct 2025



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q61337 (UniProt, ExPASy)

KEGG: mmu:12015

String: <u>10090.ENSMUSP00000025910</u>

Molecular Weight: Calculated MW: 22.1 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.



2 of 2