


Zinc Finger And BTB Domain-Containing Protein 7B (ZBTB7B) Antibody

Catalogue No.:abx032815





ZBTB7B is a transcription regulator that acts as a key regulator of lineage commitment of immature T-cell precursors. It is necessary and sufficient for commitment of CD4 lineage, while its absence causes CD8 commitment. Development of immature T-cell precursors (thymocytes) to either the CD4 helper or CD8 killer T-cell lineages correlates precisely with their T-cell receptor specificity for major histocompatibility complex class II or class I molecules, respectively. ZBTB7B is a transcriptional repressor of the collagen COL1A1 and COL1A2 genes. It may also function as a repressor of fibronectin and possibly other extracellular matrix genes.

Target: Zinc Finger And BTB Domain-Containing Protein 7B (ZBTB7B)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IF/ICC: 1/10 - 1/50. Optimal dilutions/concentrations should be determined by the end

user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 440-469 amino acids from the C-terminal region of

human ZBTB7B.

Datasheet

Version: 2.0.0 Revision date: 29 Aug 2025



Isotype: IgG

Form: Liquid

Purification: Purified through a protein A column, eluted with high and low pH buffers and neutralized

immediately, followed by dialysis against PBS.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: O15156 (<u>UniProt</u>, <u>ExPASy</u>)

Gene Symbol: ZBTB7B

NCBI Accession: NP 001239335.1, NP 001243384.1

KEGG: hsa:51043

String: <u>9606.ENSP00000406286</u>

Molecular Weight: Calculated MW: 58 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.