



T-Cell-Specific Surface Glycoprotein CD28 (CD28) Antibody

Catalogue No.: abx033096



CD28 costimulation is essential for CD4-positive T-cell proliferation, survival, interleukin-2 production, and T-helper type-2 (Th2) development.

Target: T-Cell-Specific Surface Glycoprotein CD28 (CD28)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IF/ICC: 1/10 - 1/50. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 182-208 amino acids from the C-terminal region of human CD28.

Isotype: IgG

Form: Liquid

Datasheet

Version: 2.0.0

Revision date: 10 Oct 2025



Purification:	Purified through a protein A column, followed by peptide affinity purification.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P10747 (UniProt , ExPASy)
Molecular Weight:	Calculated MW: 25.1 kDa
Buffer:	PBS containing 0.09% sodium azide.
Specificity:	Predicted to react with Rabbit CD28.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only