



Serine/Threonine-Protein Kinase PAK 4 (PAK4) Antibody

Catalogue No.: abx033769



WB analysis of Mouse Small Intestine Tissue.



IHC-P analysis of human prostate carcinoma tissue, with DAB staining.

PAK proteins are critical effectors that link Rho GTPases to cytoskeleton reorganization and nuclear signaling. PAK proteins, a family of serine/threonine p21-activating kinases, include PAK1, PAK2, PAK3, PAK4, PAK5, and PAK6. PAK proteins serve as targets for the small GTP binding proteins Cdc42 and Rac and have been implicated in a wide range of biological activities. PAK4 interacts specifically with the GTP-bound form of Cdc42Hs and weakly activates the JNK family of MAP kinases. PAK4 is a mediator of filopodia formation and may play a role in the reorganization of the actin cytoskeleton.

Target: Serine/Threonine-Protein Kinase PAK 4 (PAK4)

Clonality: Polyclonal

Reactivity: Human, Mouse

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/1000, IHC-P: 1/10 - 1/50. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: KLH-conjugated synthetic peptide between 156-187 amino acids from the N-terminal region of human PAK4.

Isotype: IgG

Datasheet

Version: 4.0.0

Revision date: 07 Aug 2025



Form:	Liquid
Purification:	Purified by saturated ammonium sulfate (SAS) precipitation followed by dialysis against PBS.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	O96013 (UniProt , ExPASy)
Gene Symbol:	PAK4
GeneID:	10298
KEGG:	hsa:10298
String:	9606.ENSP00000469413
Molecular Weight:	Calculated MW: 64.1 kDa
Buffer:	PBS containing 0.09% sodium azide.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only