


NME/NM23 Nucleoside Diphosphate Kinase 6 (NME6) Antibody

Catalogue No.: abx033859



NME6 plays a major role in the synthesis of nucleoside triphosphates other than ATP. It is an inhibitor of p53-induced apoptosis. NME6 is expressed at a moderately low level in many tissues, most abundantly in kidney, prostate, ovary, intestine, and spleen.

| | |
|-------------------------------|---|
| Target: | NME/NM23 Nucleoside Diphosphate Kinase 6 (NME6) |
| Clonality: | Polyclonal |
| Reactivity: | Human |
| Tested Applications: | ELISA, WB |
| Host: | Rabbit |
| Recommended dilutions: | WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user. |
| Conjugation: | Unconjugated |
| Immunogen: | KLH-conjugated synthetic peptide between 80-110 amino acids from the N-terminal region of human NME6. |
| Isotype: | IgG |
| Form: | Liquid |
| Purification: | Purified through a protein G column, eluted with high and low pH buffers and neutralized immediately, followed by dialysis against PBS. |
| Storage: | Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles. |
| UniProt Primary AC: | O75414 (UniProt , ExPASy) |
| KEGG: | hsa:10201 |

Datasheet

Version: 3.0.0

Revision date: 19 Mar 2025



String: [9606.ENSF00000416658](#)

Molecular Weight: Calculated MW: 21.1 kDa

Buffer: PBS containing 0.09% sodium azide.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only