


## Protein FRA10AC1 (FRA10AC1) Antibody

Catalogue No.: abx034715



The function of the C10orf4 protein is unknown. Expansion of a polymorphic CGG repeat within the 5'-UTR of the C10orf4 gene may be the cause of folate-sensitive fragile site FRA10A expression. Fragile sites appear visually as nonstaining gaps on chromosomes that are inducible by specific cell culture conditions.

**Target:** Protein FRA10AC1 (FRA10AC1)

**Clonality:** Polyclonal

**Reactivity:** Human

**Tested Applications:** ELISA, WB

**Host:** Rabbit

**Recommended dilutions:** WB: 1/1000. Optimal dilutions/concentrations should be determined by the end user.

**Conjugation:** Unconjugated

**Immunogen:** KLH-conjugated synthetic peptide between 253-280 amino acids from the C-terminal region of human FRA10AC1.

**Isotype:** IgG

**Form:** Liquid

**Purification:** Purified through a protein A column, followed by peptide affinity purification.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

**UniProt Primary AC:** Q70Z53 ([UniProt](#), [ExPASy](#))

**KEGG:** hsa:118924

# Datasheet

Version: 2.0.0

Revision date: 08 Sep 2025



**String:** [9606.ENSF00000360488](#)

**Molecular Weight:** Calculated MW: 37.5 kDa

**Buffer:** PBS containing 0.09% sodium azide.

**Note:** THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only