



Podocan (PODN) Antibody

Catalogue No.: abx036713



WB analysis of Fetal testis tissue lysate, using PODN antibody (1/200 dilution).



IHC-P analysis of Fetal kidney tissue, using PODN antibody (1/100 dilution).

Rabbit Polyclonal against the PODN protein.

Target: Podocan (PODN)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000, IHC: 1/100 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant fragment corresponding to 69-236 AA of human PODN.

Isotype: IgG

Form: Lyophilized

Purification: Purified by antigen affinity column chromatography.

Datasheet

Version: 5.0.0

Revision date: 21 Jun 2025



Reconstitution: Reconstitute in 100 µl of sterile distilled H₂O with 50% glycerol.

Storage: Store at -20 °C. Avoid repeated freeze/thaw cycles.

Molecular Weight: Observed MW: 69 kDa

Buffer: Prior to lyophilization: 1% BSA and 0.02% NaN₃.

Specificity: Predicted to react with Mouse and Rat PODN.

Concentration: Lyophilized form: Not applicable.
After reconstitution: 1 mg/ml.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only