

Intercellular Adhesion Molecule 1 (ICAM-1) Antibody

Catalogue No.:abx037359

Rabbit Polyclonal against the ICAM-1 protein.

Target:	Intercellular Adhesion Molecule 1 (ICAM-1)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, IHC
Host:	Rabbit
Recommended dilutions	: ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000, IHC: 1/100 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A peptide corresponding to the C-terminal region of human ICAM1 protein.
lsotype:	IgG
Form:	Lyophilized
Purification:	Purified by antigen affinity column chromatography.
Reconstitution:	Reconstitute in 100 μI of sterile distilled H_2O with 50% glycerol.
Storage:	Store at -20 °C. Avoid repeated freeze/thaw cycles.
NCBI Accession:	NM_000201
Molecular Weight:	Observed MW: 90-100 kDa
Buffer:	Prior to lyophilization: 1% BSA and 0.02% NaN3.
Concentration:	Lyophilized form: Not applicable. After reconstitution: 1 mg/ml.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.