

NAD-Dependent Protein Deacetylase Sirtuin-1 (SIRT1) Antibody

Catalogue No.: abx037530

Rabbit Polyclonal against the SIRT1 protein.

Target:	NAD-Dependent Protein Deacetylase Sirtuin-1 (SIRT1)
Research Area:	Endocrinology
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A peptide corresponding to the C-terminal region of human SIRT1 protein.
Isotype:	IgG
Form:	Lyophilized
Purification:	Purified by antigen affinity column chromatography.
Reconstitution:	Reconstitute in 100 µl of sterile distilled H ₂ O with 50% glycerol.
Storage:	Store at -20°C. Avoid repeated freeze/thaw cycles.
NCBI Accession:	NM_012238
Molecular Weight:	Observed MW: 110 kDa
Buffer:	Prior to lyophilization: 1% BSA and 0.02% NaN ₃ .
Concentration:	Lyophilized form: Not applicable. After reconstitution: 1 mg/ml.

Datasheet

Version: 3.0.0

Revision date: 14 Sep 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only