



Alpha-1,6-Mannosylglycoprotein 6-Beta-N-Acetylglucosaminyltransferase A (MGAT5) Antibody

Catalogue No.: abx037915



Western blot analysis of Jurkat cell extracts using Alpha-1,6-Mannosylglycoprotein 6-Beta-N-Acetylglucosaminyltransferase A (MGAT5) Antibody.



Immunohistochemistry analysis of paraffin-embedded liver using Alpha-1,6-Mannosylglycoprotein 6-Beta-N-Acetylglucosaminyltransferase A (MGAT5) Antibody.

Alpha-1,6-Mannosylglycoprotein 6-Beta-N-Acetylglucosaminyltransferase A (MGAT5) Antibody is a rabbit polyclonal for the detection of MGAT5.

Target: Alpha-1,6-Mannosylglycoprotein 6-Beta-N-Acetylglucosaminyltransferase A (MGAT5)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: ELISA: 1/20000 - 1/80000, WB: 1/5000, IHC: 1/100 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: A peptide corresponding to the C-terminal region of Human MGAT5 protein.

Isotype: IgG

Form: Lyophilized

Datasheet

Version: 4.0.0
Revision date: 01 Jul 2025



Purification:	Purified by antigen affinity column chromatography.
Reconstitution:	Reconstitute in 100 µl of sterile distilled H ₂ O with 50% glycerol.
Storage:	Store at -20 °C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q09328 (UniProt , ExPASy)
KEGG:	hsa:4249
String:	9606.ENSP00000386377
Buffer:	Prior to lyophilization: 1% BSA and 0.02% NaN ₃ .
Specificity:	Predicted to react with Mouse and Rat MGAT5.
Concentration:	Lyophilized form: Not applicable. After reconstitution: 1 mg/ml.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only