



Vascular Endothelial Growth Factor A (VEGFA) Antibody

Catalogue No.: abx038156

Fetal skeletal muscle



WB analysis of fetal skeletal muscle tissue, using VEGFA antibody.



IHC-P analysis of hepatocarcinoma tissue, showing cytoplasmic and membrane staining, using VEGFA antibody (1/100 dilution).

Rabbit Polyclonal against the VEGFA protein.

Target:	Vascular Endothelial Growth Factor A (VEGFA)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB, IHC
Host:	Rabbit
Recommended dilutions:	ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000, IHC: 1/100 - 1/200. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fragment corresponding to 177-368 AA of human VEGFA.
Isotype:	IgG
Form:	Lyophilized
Purification:	Purified by Protein A/G column chromatography.

Datasheet

Version: 4.0.0

Revision date: 31 Aug 2025



Reconstitution: Reconstitute in 100 µl of sterile distilled H₂O with 50% glycerol.

Storage: Store at -20 °C. Avoid repeated freeze/thaw cycles.

NCBI Accession: NM_001025368

Molecular Weight: Observed MW: 47 kDa

Buffer: Prior to lyophilization: 0.02% NaN₃.

Specificity: Predicted to react with Mouse and Rat VEGFA.

Concentration: Lyophilized form: Not applicable.
After reconstitution: 1 mg/ml.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only