

Transcription Factor AP-2 Gamma (TFAP2C) Antibody

Catalogue No.: abx038298

Rabbit Polyclonal against the AP-2 gamma protein.

Target:	Transcription Factor AP-2 Gamma (TFAP2C)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A peptide corresponding to C-terminal region of human AP-2 gamma protein.
Isotype:	IgG
Form:	Lyophilized
Purification:	Purified by Protein A/G column chromatography.
Reconstitution:	Reconstitute in 100 µl of sterile distilled H ₂ O with 50% glycerol.
Storage:	Store at -20 °C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q92754 (UniProt , ExPASy)
KEGG:	hsa:7022
String:	9606.ENSP00000201031
Molecular Weight:	Observed MW: 49 kDa
Buffer:	Prior to lyophilization: 0.02% NaN ₃ .
Concentration:	Lyophilized form: Not applicable. After reconstitution: 1 mg/ml.

Datasheet

Version: 3.0.0

Revision date: 15 Sep 2025



Note:

THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only