

Cyclic AMP-Dependent Transcription Factor ATF-4 (ATF4) Antibody

Catalogue No.: abx038457

Rabbit Polyclonal against the ATF4 protein.

Target:	Cyclic AMP-Dependent Transcription Factor ATF-4 (ATF4)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB
Host:	Rabbit
Recommended dilutions:	ELISA: 1/20000 - 1/80000, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	A peptide corresponding to the C-terminal region of human ATF4 protein.
Isotype:	IgG
Form:	Lyophilized
Purification:	Purified by Protein A/G column chromatography.
Reconstitution:	Reconstitute in 100 µl of sterile distilled H ₂ O with 50% glycerol.
Storage:	Store at -20 °C. Avoid repeated freeze/thaw cycles.
NCBI Accession:	NM_001675
Molecular Weight:	Observed MW: 39 kDa
Buffer:	Prior to lyophilization: 0.02% NaN ₃ .
Concentration:	Lyophilized form: Not applicable. After reconstitution: 1 mg/ml.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.