



Ubiquitin-Conjugating Enzyme E2 S (UBE2S) Antibody

Catalogue No.: abx003511



Western blot analysis of various lysates using UBE2S Antibody at 1/1000 dilution incubated overnight at 4 °C. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 15s.



Immunofluorescence analysis of U-2 OS cells using UBE2S Antibody at dilution of 1/100. Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) at 1/500 dilution. Blue: DAPI for nuclear staining.

UBE2S Antibody is a Rabbit Polyclonal antibody against UBE2S. This gene encodes a member of the ubiquitin-conjugating enzyme family. The encoded protein is able to form a thiol ester linkage with ubiquitin in a ubiquitin activating enzyme-dependent manner, a characteristic property of ubiquitin carrier proteins.

Target: Ubiquitin-Conjugating Enzyme E2 S (UBE2S)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IF/ICC

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/2000, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant protein corresponding to UBE2S. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Datasheet

Version: 5.0.0

Revision date: 11 Sep 2025



Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q16763 (UniProt , ExPASy)
Gene Symbol:	UBE2S
GeneID:	27338
NCBI Accession:	NP_055316.2
KEGG:	hsa:27338
String:	9606.ENSP00000264552
Molecular Weight:	Calculated MW: 24 kDa Observed MW: 24 kDa
Buffer:	PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.
Concentration:	> 0.2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.