

Wiskott-Aldrich Syndrome Protein (WAS) Antibody

Catalogue No.: abx224111




Fig. 1. Black line: Control Antigen (100 ng); Purple line: Antigen(10ng); Blue line: Antigen (50 ng); Red line: Antigen (100 ng)




Fig. 2. Flow cytometric analysis of Hela cells using WAS mouse mAb (green) and negative control (red).




Fig. 3. Immunohistochemical analysis of paraffin-embedded ovarian cancer tissues using WAS mouse mAb with DAB staining.




Fig. 4. Immunohistochemical analysis of paraffin-embedded colon cancer tissues using WAS mouse mAb with DAB staining.




Fig. 5. Western blot analysis using WAS mAb against human WAS (AA: 57-170) recombinant protein. (Expected MW is 39 kDa)

Datasheet

Version: 3.0.0
Revision date: 22 Dec 2025




Fig. 6. Western blot analysis using WAS mAb against HEK293 (1) and WAS (AA: 57-170)-hlgGfC transfected HEK293 (2) cell lysate.

WAS Antibody is a Mouse Monoclonal against WAS.

Target:	Wiskott-Aldrich Syndrome Protein (WAS)
Clonality:	Monoclonal
Reactivity:	Human
Tested Applications:	ELISA, IHC, FCM
Host:	Mouse
Recommended dilutions:	ELISA: 1/10000, IHC: 1/200 - 1/1000, FCM: 1/200 - 1/400. Optimal dilutions/concentrations should be determined by the end user.
Immunogen:	Purified recombinant fragment of human WAS (AA: 57-170) expressed in E. coli.
Isotype:	IgG _{2a}
Form:	Liquid
Purification:	Purified from ascites by Protein G chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P42768 (UniProt , ExPASy)
Gene Symbol:	WAS
GeneID:	7454
OMIM:	300299
HGNC:	12731

Datasheet

Version: 3.0.0

Revision date: 22 Dec 2025



KEGG: hsa:7454

Ensembl: ENSG00000015285

String: [9606.ENSP00000365891](#)

Molecular Weight: 53 kDa

Buffer: PBS, containing 0.05% sodium azide.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only