


Activated Leukocyte Cell Adhesion Molecule / CD166 (ALCAM) Antibody (FITC)

Catalogue No.:abx270517



Fluorescence emission spectra of FITC.

Activated Leukocyte Cell Adhesion Molecule (ALCAM) Antibody (FITC) is a Rabbit Polyclonal Antibody conjugated to FITC against Activated Leukocyte Cell Adhesion Molecule (ALCAM) for use in flow cytometry.

Target: Activated Leukocyte Cell Adhesion Molecule / CD166 (ALCAM)

Research Area: Cellular Differentiation and Adhesion, Tumor Immunity

Clonality: Polyclonal

Reactivity: Rat

Tested Applications: FCM

Host: Rabbit

Recommended dilutions: FCM: 1-5 μ I/10 6 cells. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: FITC

Excitation/Emission: 499/515

Laser Line: 488

Isotype: IgG

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography.

Storage: Aliquot and store at 4°C. Avoid exposure to light. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 2.0.0 Revision date: 26 Oct 2025



Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.



Website: www.abbexa.com · Email: info@abbexa.com