

Apoptosis Regulator Bcl-2 (BCL2) Antibody (FITC)

Catalogue No.: abx273756



Fluorescence emission spectra of FITC.

B-Cell Leukemia/Lymphoma 2 (Bcl2) Antibody (FITC) is a Rabbit Polyclonal antibody conjugated to FITC against B-Cell Leukemia/Lymphoma 2 (Bcl2).

Target:	Apoptosis Regulator Bcl-2 (BCL2)
Clonality:	Polyclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.5-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	FITC
Excitation/Emission:	499/515
Laser Line:	488
Isotype:	IgG
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid exposure to light. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	P10415 (UniProt , ExPASy)

Datasheet

Version: 1.0.0

Revision date: 14 Jul 2025



Gene Symbol: BCL2

GeneID: [596](#)

OMIM: [151430](#)

HGNC: 990

KEGG: hsa:596

Ensembl: ENSG00000171791

String: [9606.ENSP00000381185](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only