

Urokinase Plasminogen Activator Surface Receptor (PLAUR) Antibody (FITC)

Catalogue No.: abx274206



Fluorescence emission spectra of FITC.

Urokinase Plasminogen Activator Surface Receptor (PLAUR) Antibody (FITC) is a Rabbit Polyclonal antibody conjugated to FITC against Urokinase Plasminogen Activator Surface Receptor (PLAUR).

Target:	Urokinase Plasminogen Activator Surface Receptor (PLAUR)
Research Area:	Tumor Immunity, Hematology
Clonality:	Polyclonal
Reactivity:	Mouse
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 0.5-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	FITC
Excitation/Emission:	499/515
Laser Line:	488
Isotype:	IgG
Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography.
Storage:	Aliquot and store at 4°C. Avoid exposure to light. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 2.0.0

Revision date: 07 Oct 2025



UniProt Primary AC: P35456 ([UniProt](#), [ExPASy](#))

Gene Symbol: PLAUR

GeneID: [18793](#)

KEGG: mmu:18793

String: [10090.ENSMUSP00000002284](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only