


Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10) Antibody (FITC)

Catalogue No.: abx274402



Fluorescence emission spectra of FITC.

Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10) Antibody (FITC) is a Mouse Monoclonal antibody conjugated to FITC against Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10).

Target:	Tumor Necrosis Factor Ligand Superfamily Member 10 (TNFSF10)
Research Area:	Apoptosis, Tumor Immunity
Clonality:	Monoclonal
Reactivity:	Human
Tested Applications:	WB, IHC, IF/ICC
Host:	Mouse
Recommended dilutions:	WB: 0.5-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	FITC
Excitation/Emission:	499/515
Laser Line:	488
Isotype:	IgG
Form:	Liquid
Purification:	Purified by Protein A and Protein G affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid exposure to light. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 3.0.0

Revision date: 31 Aug 2025



UniProt Primary AC: P50591 ([UniProt](#), [ExPASy](#))

Gene Symbol: TNFSF10

GeneID: [8743](#)

KEGG: hsa:8743

String: [9606.ENSP00000241261](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only