



Stanniocalcin 2 (STC2) Antibody

Catalogue No.: abx174634



Western blot analysis of MCF7 cell lysate, using Mouse Anti-Human STC2 Antibody (1 µg/ml) and HRP-conjugated Goat Anti-Mouse antibody ([abx400001](#), 0.2 µg/ml).



IF analysis of Human HepG2 cells, using Mouse Anti-Human STC2 Antibody (30 µg/ml) and FITC-conjugated Goat Anti-Mouse antibody ([abx400031](#), 2 µg/ml).

Stanniocalcin 2 (STC2) Antibody is a Mouse Monoclonal antibody against Stanniocalcin 2 (STC2).

Target: Stanniocalcin 2 (STC2)

Clonality: Monoclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Mouse

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx069168](#) - Recombinant Stanniocalcin 2 (STC2)

Isotype: IgG₁ Kappa

Form: Liquid

Purification: Purified by Protein A and Protein G affinity chromatography.

Datasheet

Version: 2.0.0

Revision date: 11 Sep 2025



Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only