



4-Aminobutyrate Aminotransferase (ABAT) Antibody

Catalogue No.:abx004049



Western blot analysis of various lysates, using GABA transaminase (ABAT) Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 10s



Immunofluorescence analysis of paraffin-embedded mouse brain using GABA transaminase (GABA transaminase Antibody at dilution of 1/100 (40x lens). Secondary antibody: Cy3conjugated Goat anti-Rabbit IgG (H+L) at 1/500 dilution. Blue: DAPI for nuclear staining.

ABAT Antibody is a Rabbit Polyclonal antibody against ABAT. 4-aminobutyrate aminotransferase (ABAT) is responsible for catabolism of gamma-aminobutyric acid (GABA), an important, mostly inhibitory neurotransmitter in the central nervous system, into succinic semialdehyde. The active enzyme is a homodimer of 50-kD subunits complexed to pyridoxal-5-phosphate. The protein sequence is over 95% similar to the pig protein. GABA is estimated to be present in nearly one-third of human synapses. ABAT in liver and brain is controlled by 2 codominant alleles with a frequency in a Caucasian population of 0.56 and 0.44. The ABAT deficiency phenotype includes psychomotor retardation, hypotonia, hyperreflexia, lethargy, refractory seizures, and EEG abnormalities. Multiple alternatively spliced transcript variants encoding the same protein isoform have been found for this gene.

4-Aminobutyrate Aminotransferase (ABAT) Target:

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IF/ICC

Host: Rabbit

Recommended dilutions: ELISA: 1 μg/ml, WB: 1/500 - 1/1000, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should

be determined by the end user.

Conjugation: Unconjugated

Recombinant fusion protein containing a sequence corresponding to amino acids 29-300 of human Immunogen:

GABA transaminase (ABAT).

1 of 2

Website: www.abbexa.com · Email: info@abbexa.com

Datasheet

Version: 6.0.0 Revision date: 24 Apr 2025



Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P80404 (UniProt, ExPASy)

Gene Symbol: ABAT

GeneID: <u>18</u>

OMIM: <u>137150</u>

NCBI Accession: NP 001120920.1

HGNC: 23

KEGG: hsa:18

Ensembl: ENSG00000183044

String: <u>9606.ENSP00000379845</u>

Molecular Weight: Calculated MW: 56 kDa

Observed MW: 50 kDa

Buffer: PBS, pH 7.3, containing 0.09% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.