


26S Proteasome Non-ATPase Regulatory Subunit 9 (PSMD9) Antibody

Catalogue No.:abx004098



Western blot analysis of various lysates using PSMD9 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

PSMD9 Antibody is a Rabbit Polyclonal antibody against PSMD9. The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator. Three transcript variants encoding two different isoforms have been found for this gene.

Target: 26S Proteasome Non-ATPase Regulatory Subunit 9 (PSMD9)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB

Host: Rabbit

Recommended dilutions: ELISA: 1 μg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the

end user.

Conjugation: Unconjugated

Immunogen: Recombinant protein corresponding to PSMD9. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

1 of 2

Datasheet

Version: 5.0.0 Revision date: 28 Sep 2025



UniProt Primary AC: 000233 (UniProt, ExPASy)

Gene Symbol: PSMD9

GeneID: <u>5715</u>

NCBI Accession: NP_002804.2

KEGG: hsa:5715

String: <u>9606.ENSP00000440485</u>

Molecular Weight: Calculated MW: 25 kDa

Observed MW: 25 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.

Website: www.abbexa.com · Email: info@abbexa.com