


Interleukin-1 Receptor Associated Kinase 3 (IRAK3) Antibody

Catalogue No.:abx004187



Western blot analysis of various lysates using IRAK3 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 μg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 90s.

IRAK3 Antibody is a Rabbit Polyclonal antibody against IRAK3. This gene encodes a member of the interleukin-1 receptorassociated kinase protein family. Members of this family are essential components of the Toll/IL-R immune signal transduction pathways. This protein is primarily expressed in monocytes and macrophages and functions as a negative regulator of Toll-like receptor signaling. Mutations in this gene are associated with a susceptibility to asthma. Alternate splicing results in multiple transcript variants.

Target: Interleukin-1 Receptor Associated Kinase 3 (IRAK3)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IF/ICC

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/2000, IF/ICC: 1/50 - 1/200. Optimal dilutions/concentrations should

be determined by the end user.

Conjugation: Unconjugated

Immunogen: Recombinant protein corresponding to IRAK3. The exact sequence is proprietary.

Isotype: IgG

Form: Liquid

Purification: Purified by affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q9Y616 (UniProt, ExPASy)

Datasheet

Version: 5.0.0 Revision date: 28 Oct 2025



Gene Symbol: IRAK3

GenelD: <u>11213</u>

NCBI Accession: NP_009130.2

String: <u>9606.ENSP00000261233</u>

Molecular Weight: Calculated MW: 68 kDa

Observed MW: 68 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.