



# Wolf-Hirschhorn Syndrome Candidate 1-Like Protein (WHSC1L1) Antibody

Catalogue No.: abx004269



Western blot analysis of various lysates using [KO Validated] NSD3/WHSC1L1 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 90s.



Western blot analysis of lysates from wild type (WT) and NSD3/WHSC1L1 knockout (KO) 293T cells, using [KO Validated] NSD3/WHSC1L1 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

WHSC1L1 Antibody is a Rabbit Polyclonal antibody against WHSC1L1. This gene is related to the Wolf-Hirschhorn syndrome candidate-1 gene and encodes a protein with PWWP (proline-tryptophan-tryptophan-proline) domains. The function of the protein has not been determined. Two alternatively spliced variants have been described.

**Target:** Wolf-Hirschhorn Syndrome Candidate 1-Like Protein (WHSC1L1)

**Clonality:** Polyclonal

**Reactivity:** Human, Mouse, Rat

**Tested Applications:** ELISA, WB

**Host:** Rabbit

**Recommended dilutions:** ELISA: 1 µg/ml, WB: 1/500 - 1/1000. Optimal dilutions/concentrations should be determined by the end user.

**Conjugation:** Unconjugated

**Immunogen:** Recombinant protein corresponding to WHSC1L1. The exact sequence is proprietary.

**Isotype:** IgG

# Datasheet

Version: 4.0.0  
Revision date: 22 Dec 2025



<b>Form:</b>	Liquid
<b>Purification:</b>	Purified by affinity chromatography.
<b>Storage:</b>	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
<b>UniProt Primary AC:</b>	Q9BZ95 ( <a href="#">UniProt</a> , <a href="#">ExPASy</a> )
<b>Gene Symbol:</b>	NSD3
<b>GeneID:</b>	<a href="#">54904</a>
<b>NCBI Accession:</b>	NP_060248.2
<b>String:</b>	<a href="#">9606.ENSP00000313983</a>
<b>Molecular Weight:</b>	Calculated MW: 162 kDa Observed MW: 180 kDa
<b>Buffer:</b>	PBS, pH 7.3, containing 0.09% sodium azide, 50% glycerol.
<b>Concentration:</b>	> 0.2 mg/ml
<b>Note:</b>	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.