



## **Thyroid Hormone Receptor Alpha (THRA) Antibody**

Catalogue No.:abx004276



Western blot analysis of lysates from SH-SY5Y cells, using THRA Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25  $\mu$ g per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 180s.



Immunohistochemistry analysis of paraffin-embedded Mouse lung using THRA Antibody at dilution of 1/50 (40x lens). High pressure antigen retrieval performed in 0.01 M Citrate buffer (pH 6.0) prior to IHC staining.

THRA Antibody is a Rabbit Polyclonal antibody against THRA. The protein encoded by this gene is a nuclear hormone receptor for triiodothyronine. It is one of the several receptors for thyroid hormone, and has been shown to mediate the biological activities of thyroid hormone. Knockout studies in mice suggest that the different receptors, while having certain extent of redundancy, may mediate different functions of thyroid hormone. Alternatively spliced transcript variants encoding distinct isoforms have been reported.

Target: Thyroid Hormone Receptor Alpha (THRA)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: ELISA: 1 µg/ml, WB: 1/500 - 1/1000, IHC-P: 1/50 - 1/200. Not tested in IHC-F. Optimal

dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

**Immunogen:** Recombinant protein corresponding to THRA. The exact sequence is proprietary.

**Isotype:** IgG

## **Datasheet**

Version: 4.0.0 Revision date: 21 Jul 2025



Form: Liquid

**Purification:** Purified by affinity chromatography.

**Storage:** Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: P10827 (<u>UniProt</u>, <u>ExPASy</u>)

Gene Symbol: THRA

GeneID: <u>7067</u>

NCBI Accession: NP\_003241.2

**KEGG:** hsa:7067

String: <u>9606.ENSP00000264637</u>

Molecular Weight: Calculated MW: 55 kDa

Observed MW: 55 kDa

**Buffer:** PBS, pH 7.3, containing 0.05% Proclin-300, 50% glycerol.

**Concentration:** > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.