


BAG3 Antibody

Catalogue No.: abx243119



Western Blot

Positive WB detected in: HeLa whole cell lysate, 293 whole cell lysate, A549 whole cell lysate, HepG2 whole cell lysate, U87 whole cell lysate


All lanes: BAG3 antibody at 0.73 µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 62 KDa

Observed band size: 80 KDa



Immunohistochemistry analysis of BAG3 Antibody diluted at 1/73.75 and staining in paraffin-embedded human breast cancer. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

BAG3 Antibody is a Monoclonal Antibody against BAG3.

Target: BAG3

Clonality: Monoclonal

Reactivity: Human

Expression: Recombinant

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/5000, IHC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: A synthesized peptide derived from human BAG3.

Isotype: IgG

Form: Liquid

Datasheet

Version: 2.0.0
Revision date: 18 Jun 2025



Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20 °C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	O95817 (UniProt , ExPASy)
KEGG:	hsa:9531
String:	9606.ENSP00000358081
Buffer:	PBS, pH 7.4, 150 mM NaCl, 0.02% sodium azide and 50% glycerol.
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only