


Protein HEXIM1 (HEXIM1) Antibody

Catalogue No.: abx004423



Western blot analysis of various lysates, using HEXIM1 Antibody at 1/700 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

HEXIM1 Antibody is a Rabbit Polyclonal antibody against HEXIM1. Expression of this gene is induced by hexamethylene-bis-acetamide in vascular smooth muscle cells. This gene has no introns.

Target:	Protein HEXIM1 (HEXIM1)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	ELISA, WB, IHC
Host:	Rabbit
Recommended dilutions:	ELISA: 1 µg/ml, WB: 1/500 - 1/2000, IHC-P: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant protein corresponding to HEXIM1. The exact sequence is proprietary.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	O94992 (UniProt , ExPASy)
Gene Symbol:	HEXIM1

Datasheet

Version: 5.0.0

Revision date: 16 Aug 2025



GeneID: [10614](#)

NCBI Accession: NP_006451.1

KEGG: hsa:10614

String: [9606.ENSP00000328773](#)

Molecular Weight: Calculated MW: 41 kDa
Observed MW: 66 kDa

Buffer: PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only