


Human Signaling Lymphocytic Activation Molecule Family Member 1 / CD150 (SLAMF1) Protein

Catalogue No.: abx069093



SDS-PAGE analysis of Human SLAMF1 Protein.

Recombinant Signaling Lymphocytic Activation Molecule Family, Member 1 (SLAMF1) is a recombinant Human protein produced in a Prokaryotic expression system (E. coli).

Target: Signaling Lymphocytic Activation Molecule Family Member 1 / CD150 (SLAMF1)

Origin: Human

Tested Applications: WB, SDS-PAGE

Host: E. coli

Conjugation: Unconjugated

Form: Lyophilized

Purity: > 95%

Reconstitution: To keep the original salt concentration, we recommend reconstituting to the original concentration prior to lyophilization (see Concentration) in ddH₂O. If a lower concentration is required, dilute in PBS, pH 7.4. If a higher concentration is required, the product can be reconstituted directly in PBS, pH 7.4, though please note that this will change the overall salt concentration. The stock concentration should be between 0.1-1.0 mg/ml. Do not vortex.

Storage: Store at 2-8 °C for up to one month. Store at -80 °C for up to one year. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q13291 ([UniProt](#), [ExPASy](#))

KEGG: hsa:6504

String: [9606.ENSP00000306190](#)

Datasheet

Version: 2.0.0

Revision date: 29 May 2025



Molecular Weight: Calculated MW: 28.2 kDa

Sequence Fragment: Phe19-Lys236

Sequence: FG ASYGTGGRMM NCPKILRQLG SKVLLPLTYE RINKSMNKSI HIVVTMAKSL ENSVENKIVS
LDPSEAGPPR YLGDRYKFYL ENLTGFIRES RKEDEGWYLM TLEKNVSVQR FCLQLRLYEQ
VSTPEIKVLN KTQENGCTCT ILGCTVEKGD HVAYSWSEKA GTHPLNPANS SHLLSLTLGP
QHADNIYICT VSNPISNNSQ TFSPWPGCRT DPSETK

Tag: N-terminal His tag

Buffer: Prior to lyophilization: PBS, pH 7.4, containing 0.01% Sarcosyl, 1 mM DTT, 5% Trehalose and Proclin-300.

Activity: Not tested

Concentration: Prior to lyophilization: 200 µg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only