



TIR Domain-Containing Adapter Molecule 1 (TICAM1) Antibody

Catalogue No.: abx433607



abx433607 (2.5 µg/ml) staining of paraffin embedded Human Small Intestine. Steamed antigen retrieval with citrate buffer Ph 6, AP-staining.



Flow cytometry analysis of paraformaldehyde fixed K562 cells (blue line), permeabilized with 0.5% Triton. Primary incubation 1hr (10 µg/ml) followed by AF488 secondary antibody (1 µg/ml). IgG control: Unimmunized goat IgG (black line) followed by AF488 secondary antibody.

TIR Domain-Containing Adapter Molecule 1 (TICAM1) Antibody is a Goat Polyclonal antibody against TIR Domain-Containing Adapter Molecule 1 (TICAM1).

Target: TIR Domain-Containing Adapter Molecule 1 (TICAM1)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: P-ELISA, IHC, FCM

Host: Goat

Recommended dilutions: P-ELISA: 1/64000, IHC: 2.5 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx616011](#) - Internal region: C-HARADEHIALRVREK

Form: Liquid

Purification: Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

Datasheet

Version: 3.0.0

Revision date: 07 Sep 2025



Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Gene Symbol:	TICAM1
GeneID:	148022
NCBI Accession:	NP_891549.1
Buffer:	Tris saline, pH 7.3, containing 0.02% sodium azide and 0.5% bovine serum albumin.
Concentration:	0.5 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only