



Voltage-Dependent Anion-Selective Channel Protein 3 (VDAC3) Antibody

Catalogue No.: abx239867



WB analysis of mouse brain tissue, using VDAC3 antibody (1/300 dilution).



IHC-P analysis of human testis tissue, using VDAC3 antibody (1/50 dilution).

Voltage-Dependent Anion-Selective Channel Protein 3 (VDAC3) Antibody is a Rabbit Polyclonal antibody for the detection of VDAC3.

Forms a channel through the mitochondrial outer membrane that allows diffusion of small hydrophilic molecules.

Target: Voltage-Dependent Anion-Selective Channel Protein 3 (VDAC3)

Clonality: Polyclonal

Reactivity: Human, Mouse, Rat

Tested Applications: ELISA, WB, IHC

Host: Rabbit

Recommended dilutions: WB: 1/500 - 1/2000, IHC: 1/50 - 1/200. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: voltage-dependent anion channel 3

Isotype: IgG

Datasheet

Version: 1.0.0

Revision date: 05 Sep 2025



Form:	Liquid
Purity:	≥ 95% (SDS-PAGE)
Purification:	Purified by immunogen affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
Validity:	12 months.
UniProt Primary AC:	Q9Y277 (UniProt , ExPASy)
Gene Symbol:	VDAC3
GeneID:	7419
String:	9606.ENSP00000428845
Molecular Weight:	Observed MW: 23-27 kDa, 45 kDa
Buffer:	PBS, pH 7.3, with 0.02% sodium azide and 50% glycerol.
Concentration:	2 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.