


Monkey Interferon Inducible T-Cell Alpha Chemoattractant (ITaC) Protein

Catalogue No.: abx655920



SDS-PAGE analysis of recombinant Monkey ITaC Protein.

Monkey Interferon Inducible T-Cell Alpha Chemoattractant (ITaC) is a recombinant Monkey protein produced in a Prokaryotic expression system (E. coli).

Target:	Interferon Inducible T-Cell Alpha Chemoattractant (ITaC)
Origin:	Monkey
Expression:	Recombinant
Tested Applications:	WB, SDS-PAGE
Host:	E. coli
Conjugation:	Unconjugated
Form:	Lyophilized
Purity:	> 90%
Reconstitution:	To keep the original salt concentration, we recommend reconstituting to the original concentration prior to lyophilization (see Concentration) in ddH ₂ O. If a lower concentration is required, dilute in 20 mM Tris, 150 mM NaCl, pH 8.0. If a higher concentration is required, the product can be reconstituted directly in 20 mM Tris, 150 mM NaCl, pH 8.0, though please note that this will change the overall salt concentration. The stock concentration should be between 0.1-1.0 mg/ml. Do not vortex.
Storage:	Store at 2-8 °C for up to one month. Store at -80 °C for up to one year. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q8MIZ0 (UniProt , ExPASy)
Gene Symbol:	CXCL11

Datasheet

Version: 2.0.0
Revision date: 23 Jun 2025



NCBI Accession: NP_001028122.1

Molecular Weight: Calculated MW: 12.0 kDa
Observed MW (SDS-PAGE): 12 kDa

Sequence Fragment: Phe22-Phe94

Sequence: FPMFKRGRC LCIGPGVKAV KVADIEKASI IYPSNNCDKI EVIITLKENK GQRCLNPKSK QARLIKKVE
RKNF

Tag: N-terminal His tag

Buffer: Prior to lyophilization: 20 mM Tris, 150 mM NaCl, pH 8.0, containing 0.01% Sarcosyl, 5% Trehalose.

Activity: Not tested

Concentration: Prior to lyophilization: 500 µg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC
OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only