


## Transcription Factor 19 (TCF19) Antibody

Catalogue No.: abx004702



Western blot analysis of various lysates using TCF19 Antibody at 1/1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at 1/10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Exposure time: 30s.

TCF19 Antibody is a Rabbit Polyclonal antibody against TCF19. This gene encodes a protein that belongs to the Plant Homeo Domain finger family of transcription factors. The encoded protein is thought to function during the G1/S transition in the cell cycle. Alternate splicing results in multiple transcript variants.

<b>Target:</b>	Transcription Factor 19 (TCF19)
<b>Clonality:</b>	Polyclonal
<b>Reactivity:</b>	Human, Mouse, Rat
<b>Tested Applications:</b>	ELISA, WB
<b>Host:</b>	Rabbit
<b>Recommended dilutions:</b>	ELISA: 1 µg/ml, WB: 1/500 - 1/2000. Optimal dilutions/concentrations should be determined by the end user.
<b>Conjugation:</b>	Unconjugated
<b>Immunogen:</b>	Recombinant protein corresponding to TCF19. The exact sequence is proprietary.
<b>Isotype:</b>	IgG
<b>Form:</b>	Liquid
<b>Purification:</b>	Purified by affinity chromatography.
<b>Storage:</b>	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
<b>UniProt Primary AC:</b>	Q9Y242 ( <a href="#">UniProt</a> , <a href="#">ExPASy</a> )
<b>Gene Symbol:</b>	TCF19

# Datasheet

Version: 4.0.0

Revision date: 06 Sep 2025



**GeneID:** [6941](#)

**NCBI Accession:** NP\_009040.2

**String:** [9606.ENSP00000365433](#)

**Molecular Weight:** Calculated MW: 37 kDa  
Observed MW: 37 kDa

**Buffer:** PBS, pH 7.3, containing 0.02% sodium azide, 50% glycerol.

**Concentration:** > 0.2 mg/ml

**Note:** THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only