



17-Beta-Hydroxysteroid Dehydrogenase 13 (HSD17B13) Antibody


Catalogue No.:abx004778




Western blot analysis of extracts of various cell lines, using HSD17B13 antibody (abx004778) at 1/1000 dilution.




Immunohistochemistry of paraffin-embedded human liver injury using HSD17B13 Antibody (abx004778) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded mouse liver using HSD17B13 Antibody (abx004778) at dilution of 1/100 (40x lens).



Immunohistochemistry of paraffin-embedded rat brain using HSD17B13 Antibody (abx004778) at dilution of 1/100 (40x lens).




Immunohistochemistry of paraffin-embedded human liver injury using HSD17B13 Antibody (abx004778) at dilution of 1/100 (40x lens).

Datasheet

Version: 2.0.0

Revision date: 29 May 2024



Immunohistochemistry of paraffin-embedded mouse liver using HSD17B13 Antibody (abx004778) at dilution of 1/100 (40x lens).

HSD17B13 Antibody is a Rabbit Polyclonal antibody against HSD17B13.

Target:	17-Beta-Hydroxysteroid Dehydrogenase 13 (HSD17B13)
Clonality:	Polyclonal
Reactivity:	Human, Mouse, Rat
Tested Applications:	WB, IHC, IF/ICC
Host:	Rabbit
Recommended dilutions:	WB: 1/500 - 1/1000, IHC-P: 1/50 - 1/200, IF/ICC: 1/50 - 1/200. Not tested in IHC-F. Optimal dilutions/concentrations should be determined by the end user.
Conjugation:	Unconjugated
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 30-211 of human HSD17B13.
Isotype:	IgG
Form:	Liquid
Purification:	Purified by affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q7Z5P4 (UniProt , ExPASy)
Gene Symbol:	HSD17B13
GeneID:	345275
NCBI Accession:	NP_835236.2

Datasheet

Version: 2.0.0

Revision date: 29 May 2024



KEGG: hsa:345275

String: [9606.ENSP00000333300](#)

Molecular Weight: Calculated MW: 34 kDa
Observed MW: 34 kDa

Buffer: PBS, pH 7.3, containing 0.05% Proclin-300, 50% glycerol.

Concentration: > 0.2 mg/ml

Note: This product is for research use only.

For Reference Only