



Endoglin / CD105 (ENG) Antibody


Catalogue No.: abx100166



Western blot analysis of recombinant Rat ENG.




Western blot analysis of (1) Rat Serum and (2) Rat Kidney Tissue.




IHC-P analysis of Rat Colon Tissue, with DAB staining, using Rabbit Anti-Rat ENG Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Rat Skeletal Muscle Tissue, with DAB staining, using Rabbit Anti-Rat ENG Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).




IHC-P analysis of Rat Spinal Cord Tissue, with DAB staining, using Rabbit Anti-Rat ENG Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Rat Stomach Tissue, with DAB staining, using Rabbit Anti-Rat ENG Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Rat Lung Tissue, with DAB staining, using Rabbit Anti-Rat ENG Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).



IHC-P analysis of Rat Kidney Tissue, with DAB staining, using Rabbit Anti-Rat ENG Antibody (20 µg/ml) and HRP-conjugated Goat Anti-Rabbit antibody ([abx400043](#), 2 µg/ml).

Endoglin / CD105 (ENG) Antibody is a Rabbit Polyclonal against Endoglin / CD105 (ENG).

Target: Endoglin / CD105 (ENG)

Clonality: Polyclonal

Reactivity: Rat

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: [abx066403](#) - Recombinant ENG (Glu26-Pro136) expressed in E. coli

Datasheet

Version: 4.0.0

Revision date: 09 Oct 2025



Form:	Liquid
Purification:	Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.
Storage:	Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.
UniProt Primary AC:	Q6Q3E8 (UniProt , ExPASy)
Gene Symbol:	ENG
GeneID:	497010
KEGG:	rno:497010
Buffer:	PBS, pH 7.4, containing 0.02% NaN ₃ , 50% glycerol.
Concentration:	0.34 mg/ml
Note:	THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.

For Reference Only