



Mucin 17 (MUC17) Antibody

Catalogue No.: abx100372



Western blot analysis of recombinant Human MUC17.



IHC-P analysis of Human Tissue, with DAB staining.

Polyclonal Antibody to Mucin 17 (MUC17).

Target: Mucin 17 (MUC17)

Clonality: Polyclonal

Reactivity: Human

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 µg/ml, IHC: 5-20 µg/ml, IF/ICC: 5-20 µg/ml. Optimal dilutions/concentrations should be determined by the end user.

Conjugation: Unconjugated

Immunogen: MUC17 (Thr3773-Thr3998)

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

Datasheet

Version: 2.0.0
Revision date: 12 Oct 2025



UniProt Primary AC: Q685J3 ([UniProt](#), [ExPASy](#))

Gene Symbol: MUC17

GeneID: [140453](#)

OMIM: [608424](#)

HGNC: 16800

KEGG: hsa:140453

Ensembl: ENSG00000169876

String: [9606.ENSP00000302716](#)

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC, THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL CONSUMPTION.