



Urocortin 2 (UCN2) Antibody


Catalogue No.:abx100883




Western blot analysis of the recombinant protein.




IHC-P analysis of Mouse Stomach Tissue, with DAB staining.



IHC-P analysis of Mouse Brain Tissue, with DAB staining.



IHC-P analysis of Mouse Spleen Tissue, with DAB staining.



IHC-P analysis of Mouse Pancreas Tissue, with DAB staining.

Datasheet

Version: 3.0.0 Revision date: 30 Aug 2025



Polyclonal Antibody to Urocortin 2 (UCN2).

Target: Urocortin 2 (UCN2)

Clonality: Polyclonal

Reactivity: Mouse

Tested Applications: WB, IHC, IF/ICC

Host: Rabbit

Recommended dilutions: WB: 0.01-2 μg/ml, IHC: 5-20 μg/ml, IF/ICC: 5-20 μg/ml. Optimal dilutions/concentrations should be

determined by the end user.

Conjugation: Unconjugated

Immunogen: UCN2 (Leu31-Arg112)

Isotype: IgG

Form: Liquid

Purification: Purified by antigen-specific affinity chromatography, followed by Protein A affinity chromatography.

Storage: Aliquot and store at -20°C. Avoid repeated freeze/thaw cycles.

UniProt Primary AC: Q99ML8 (UniProt, ExPASy)

KEGG: mmu:171530

String: <u>10090.ENSMUSP00000060405</u>

Buffer: 0.01 M PBS, pH 7.4, containing 0.05% Proclin-300, 50% glycerol.

Specificity: The antibody is a rabbit polyclonal antibody raised against UCN2. It has been selected for its ability

to recognize UCN2 in immunohistochemical staining and western blotting.

Concentration: 1 mg/ml

Note: THIS PRODUCT IS FOR RESEARCH USE ONLY. NOT FOR USE IN DIAGNOSTIC,

THERAPEUTIC OR COSMETIC PROCEDURES. NOT FOR HUMAN OR ANIMAL

CONSUMPTION.

2 of 2

Website: www.abbexa.com · Email: info@abbexa.com